

DATA SHEET

SENIOR/S-2000 VA + TotalPack



Fully automatic twist wrapping machine for all kinds of profiles and long products with high production capacity (TP = total pack – all sides wrapped).

Industries/applications

All kinds of long products and profiles complying with the dimensions specified below.

Your benefits

- high efficiency
- wide range of applicability
- divergent products can be packed in bundles or entirely wrapped to convenience
- no risk of product damage
- extremely low cost of consumables and energy
- machine operating at low noise level
- no set-up times required- modular design
- product specific conveyor technology
- integration in production lines possible

Product dimensions

Width: 150 – 1,900 mm
Height: 100 – 1,700 mm
Length: 500 mm to unlimited
Maximum cross-section diagonal: 1,900 mm

SENIOR/S-2000 VA + TotalPack

Wrapping/packaging materials

PE stretch film, VCI stretch film, PE film, crepe paper, etc.
Width: up to 500 mm
Core diameter: 76 mm

Specifications

Dimensions (width x depth x height): depending on the specific design
Weight: approx. 10,000 kg – depending on the specific design
Max. speed: 12 m/min (frequency controlled)
Control voltage: 24 VDC
Line voltage: 400 V – 50 Hz, 3-phase
Noise level: < 79 dB

Options

This customer-oriented solution can be adapted to almost any project requirements.

Further features

The machine can be delivered conforming to CE guidelines and according to the latest technical guidelines for industrial machinery.
Further it is possible to integrate the machine into an overall safety concept without protective fence.

(Technical modifications reserved)

SENIOR/S-2000 VA + TotalPack

Machine drawing example

